Bulletin of the Torrey Botanical Club 117(4), 1990, pp. 498–502

INDEX TO VOLUME 117, 1990

A study of the floral morphology and anatomy of the Caryocaraceae, 123

Abies fraseri regeneration in the Great Smoky Mountains, 375

Acacia reficiens, morphometric relationships and developmental patterns of, 8

tortilis, morphometric relationships and developmental patterns of, 8

Acalypha australis, new to New York State, 291

australis L. (Euphorbiaceae) new to New York State, 291

indica, similarities and differences to *A. australis,* 291

rhomboidea, similarities and differences to *A. australis,* 291

Achene microstructure in *Eriophorum* (Cyperaceae): Taxonomic implications and paleobotanical applications, 266

achene morphology, in *Eriophorum,* 266

ADAIR, JEFFREY A.: Effects of fruit burial depth and wrack on the germination and emergence of the strandline species *Cakile edentula* (Brassicaceae), 138

Adelges piceae (balsam woolly adelgid) infestation of *Abies fraseri,* 375

Ahmadjian, Vernon (Book Review), 184

Allegheny Plateau, in western New York, 27

anatomy and morphology of *Ipomoea quamoclit,* 232

anatomy, of the flowers of six species of Caryocaraceae, 123

Andropogon gerardi Vitm., occurrence in Buffalo Beats prairie, 445

Anthodiscus, a study of the floral morphology and anatomy of, 123

Arditti, Joseph (Book Review), 68, 318

Assateague Island, Virginia, vascular flora of, 48

Austin, Daniel F. (Book Review), 64

Atlas Florae Europaeae: Distribution of Vascular Plants in Europe (Book Review), 65

autecology, of *Cakile edentula* in North Carolina, 138

Baccharis neglecta, seedlings of, in competition with *Cymodon dactylon,* 438

barrier island, vascular flora, 48

basal area, and proportion of total in standing dead trees, 163

Baskin, Jerry M. (Book Review), 315

beech bark disease, effect on American beech in northeastern U.S., 409

Beech/Maple forest, in western New York, 27

BERNARD, FLORENCE A.: Flower structure, anatomy and life history of *Wolffia australiana* (Benth.) den Hartog & van der Plas, 18

BERNARD, JOHN M.: see Bernard, Florence A., 18

bioclimatology, and classification of forest types, 382

Bliss, L. C. (Book Review), 65

BOETTCHER, S. E.: see P. J. Kalisz, 445

bottomland hardwoods, regeneration in, Florida, 429

branching, models of, in eastern white pine, 215

BRANDON, DENNIS L.: see Adair, Jeffrey A., 138

Bruniaceae, peculiar leaf tips of, and relationships to other families, 420

BUSH, J. K.: see O. W. Van Auken, 438

Cakile edentula, germination and emergence of, 138

CANHAM, CHARLES D.: Suppression and release during canopy recruitment in *Fagus grandifolia,* 1

CANHAM, CHARLES D.: see Glitzenstein, Jeff S., 106

canopy gaps, and *Fagus grandifolia* canopy recruitment, 1

recruitment, of *Fagus grandifolia,* during suppression and release, 1

Cape May Point State Park, New Jersey, vascular plants of, 294

CARLQUIST, SHERWIN: Leaf anatomy of Geissolomataceae and Myrothamnaceae as a possible indicator of relationship to Bruniaceae, 420

Cary Arboretum, upland forests of, 106

Caryocar, a study of the floral morphology and anatomy of, 123

Caryocaraceae, linked to Theales by floral morphology and anatomy, 123

CAULKINS, DOUGLAS BRUCE: Variation and taxonomy of *Phytolacca americana* and *P. rigida* in the southeastern United States, 357

change through time, of vegetation, and validity of sampling methods, 173

CHAPMAN, COLIN A.: Density and growth rate of some tropical dry forest trees: Comparisons between successional forest types, 226

CHAPMAN, LAUREN J.: see Chapman, Colin A., 226

chlorophyll, variability in content of, in sassafras leaves, 167

CLEBSCH, EDWARD E. C.: see E. F. Pauley, 375

clone development, of *Rhus typhina,* in Kentucky, 221

COLLINS, SCOTT L.: Patterns of community structure during succession in tallgrass prairie, 397

Comparison of Humid Forest zones in eastern Mexico and southeastern United States, 382

competition, amongst deciduous forest herbs, 101

between *Baccharis neglecta* and *Cymodon dactylon* seedlings, 438

Constitution and By-Laws of the Torrey Botanical Club, 73

Convolvulaceae, vegetative anatomy and morphology of *Ipomoea quamoclit* in, 232

Co-occurrence of oak subgenera: Implications for niche differentiation, 247

COUGHENOUR, MICHAEL B.: Morphometric relationships and developmental patterns of *Acacia tortilis* and *Acacia reficiens* in Southern Turkana, Kenya, 8

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #16. Introduction "Reminiscences of Old New York" by William Torrey, 57

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #17. "Reminiscences of Old New York" Part III, 178

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #18. Part I. Two brothers Torrey and the Pine Barrens of New Jersey, 301

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #18. Part II. John Torrey, William Torrey, and the Pine Barrens of NJ, 459

CROCKETT, LAWRENCE J.: see Nelson, Peter, 310

Cryptococcus fagisuga (beech scale), effect of, on American beech, 409

cycad, effect of fire on reproduction of *Zamia pumila,* 368

Bulletin of the Torrey Botanical Club 117(4), 1990, pp. 498–502

INDEX TO VOLUME 117, 1990

A study of the floral morphology and anatomy of the Caryocaraceae, 123

Abies fraseri regeneration in the Great Smoky Mountains, 375

Acacia reficiens, morphometric relationships and developmental patterns of, 8

tortilis, morphometric relationships and developmental patterns of, 8

Acalypha australis, new to New York State, 291

australis L. (Euphorbiaceae) new to New York State, 291

indica, similarities and differences to *A. australis,* 291

rhomboidea, similarities and differences to *A. australis,* 291

Achene microstructure in *Eriophorum* (Cyperaceae): Taxonomic implications and paleobotanical applications, 266

achene morphology, in *Eriophorum,* 266

ADAIR, JEFFREY A.: Effects of fruit burial depth and wrack on the germination and emergence of the strandline species *Cakile edentula* (Brassicaceae), 138

Adelges piceae (balsam woolly adelgid) infestation of *Abies fraseri,* 375

Ahmadjian, Vernon (Book Review), 184

Allegheny Plateau, in western New York, 27

anatomy and morphology of *Ipomoea quamoclit,* 232

anatomy, of the flowers of six species of Caryocaraceae, 123

Andropogon gerardi Vitm., occurrence in Buffalo Beats prairie, 445

Anthodiscus, a study of the floral morphology and anatomy of, 123

Arditti, Joseph (Book Review), 68, 318

Assateague Island, Virginia, vascular flora of, 48

Austin, Daniel F. (Book Review), 64

Atlas Florae Europaeae: Distribution of Vascular Plants in Europe (Book Review), 65

autecology, of *Cakile edentula* in North Carolina, 138

Baccharis neglecta, seedlings of, in competition with *Cymodon dactylon,* 438

barrier island, vascular flora, 48

basal area, and proportion of total in standing dead trees, 163

Baskin, Jerry M. (Book Review), 315

beech bark disease, effect on American beech in northeastern U.S., 409

Beech/Maple forest, in western New York, 27

BERNARD, FLORENCE A.: Flower structure, anatomy and life history of *Wolffia australiana* (Benth.) den Hartog & van der Plas, 18

BERNARD, JOHN M.: see Bernard, Florence A., 18

bioclimatology, and classification of forest types, 382

Bliss, L. C. (Book Review), 65

BOETTCHER, S. E.: see P. J. Kalisz, 445

bottomland hardwoods, regeneration in, Florida, 429

branching, models of, in eastern white pine, 215

BRANDON, DENNIS L.: see Adair, Jeffrey A., 138

Bruniaceae, peculiar leaf tips of, and relationships to other families, 420

BUSH, J. K.: see O. W. Van Auken, 438

Cakile edentula, germination and emergence of, 138

CANHAM, CHARLES D.: Suppression and release during canopy recruitment in *Fagus grandifolia,* 1

CANHAM, CHARLES D.: see Glitzenstein, Jeff S., 106

canopy gaps, and *Fagus grandifolia* canopy recruitment, 1

recruitment, of *Fagus grandifolia,* during suppression and release, 1

Cape May Point State Park, New Jersey, vascular plants of, 294

CARLQUIST, SHERWIN: Leaf anatomy of Geissolomataceae and Myrothamnaceae as a possible indicator of relationship to Bruniaceae, 420

Cary Arboretum, upland forests of, 106

Caryocar, a study of the floral morphology and anatomy of, 123

Caryocaraceae, linked to Theales by floral morphology and anatomy, 123

CAULKINS, DOUGLAS BRUCE: Variation and taxonomy of *Phytolacca americana* and *P. rigida* in the southeastern United States, 357

change through time, of vegetation, and validity of sampling methods, 173

CHAPMAN, COLIN A.: Density and growth rate of some tropical dry forest trees: Comparisons between successional forest types, 226

CHAPMAN, LAUREN J.: see Chapman, Colin A., 226

chlorophyll, variability in content of, in sassafras leaves, 167

CLEBSCH, EDWARD E. C.: see E. F. Pauley, 375

clone development, of *Rhus typhina,* in Kentucky, 221

COLLINS, SCOTT L.: Patterns of community structure during succession in tallgrass prairie, 397

Comparison of Humid Forest zones in eastern Mexico and southeastern United States, 382

competition, amongst deciduous forest herbs, 101

between *Baccharis neglecta* and *Cymodon dactylon* seedlings, 438

Constitution and By-Laws of the Torrey Botanical Club, 73

Convolvulaceae, vegetative anatomy and morphology of *Ipomoea quamoclit* in, 232

Co-occurrence of oak subgenera: Implications for niche differentiation, 247

COUGHENOUR, MICHAEL B.: Morphometric relationships and developmental patterns of *Acacia tortilis* and *Acacia reficiens* in Southern Turkana, Kenya, 8

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #16. Introduction "Reminiscences of Old New York" by William Torrey, 57

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #17. "Reminiscences of Old New York" Part III, 178

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #18. Part I. Two brothers Torrey and the Pine Barrens of New Jersey, 301

CROCKETT, LAWRENCE J.: On the trail of John Torrey, #18. Part II. John Torrey, William Torrey, and the Pine Barrens of NJ, 459

CROCKETT, LAWRENCE J.: see Nelson, Peter, 310

Cryptococcus fagisuga (beech scale), effect of, on American beech, 409

cycad, effect of fire on reproduction of *Zamia pumila,* 368

Cymodon dactylon (bermuda grass), competition with *Baccharis neglecta*, 438
Cyperaceae, and achene microstructure in *Eriophorum* and *Scirpus* sections, 266

deforestation, and woodland history in New Jersey, 256
DELCOURT, HAZEL R.: see Delcourt, Paul A., 312
Delcourt, Paul A. (Book Review), 312
DELENDICK, THOMAS J.: *Acalypha australis* L. (Euphorbiaceae) new to New York State, 291
demography of plant parts, modeled in eastern white pine, 215
DENNY, PATRICK: see Bernard, Florence A., 18
Density and growth rate of some tropical dry forest trees: Comparisons between successional forest types, 226
density, of standing trees, living and dead, 163
DE SOYZA, AMRITA G.: Variability of leaf chlorophyll content in a population of sassafras, 167
DICKISON, WILLIAM C.: A study of the floral morphology and anatomy of the Caryocaraceae, 123
dispersal, heterogeneous, in mixed coastal plain forest of southern New Jersey, 143
disturbance, of beech-hemlock forest, by beech bark disease, 409
dormancy, of seeds in soil of a mixed coastal plain forest in southern New Jersey, 143

Effects of environment and land-use history on upland forests of the Cary Arboretum, Hudson Valley, New York, 106
Effects of fruit burial depth and wrack on the germination and emergence of the strandline species *Cakile edentula* (Brassicaceae), 138
Eight years change in an old *Tsuga canadensis* woods affected by beech bark disease, 409
ELLIS, JAMES E.: see Coughenour, Michael B., 8
environment, effects on Cary Arboretum upland forests, 106
epidermis, significance of aspects of, in *Geissoloma*, 420
Eriophorum, taxonomic implications and paleobotanical applications of achene microstructure in, 266
Erythrobalanus, co-occurrence of species of, with other oak subgenera, 247
Erythronium americanum, spatial interrelationships in a northern hardwood forest, 101

Fagus grandifolia, suppression and release during canopy recruitment, 1
  the effects of beech bark disease on, 409
fire, frequency of, and seed distribution, in mixed coastal plain forest, 143
  temperature heterogeneity of, in fire prone habitats, 349
Fire temperature heterogeneity in contrasting fir prone habitats: Kansas tallgrass prairie and Florida sandhill, 349
fire-climax habitat, reproduction of *Zamia pumila* in, in Florida, 368
flavonoids, use in *Phytolacca* taxonomy, 357
floodplain vegetation, in Florida, dominated by ash, tupelo and sabal palm, 429
Florida, fire temperature heterogeneity in sandhill habitats of, 349
  fire-climax habitat, reproduction of *Zamia pumila* in, 368
  woody plant regeneration in a hardwood floodplain swamp of, 429
Floristic Inventory of Tropical Countries (Book Review), 64
Flower structure, anatomy and life history of *Wolffia australiana* (Benth.) den Hartog & van der Plas, 18
Flowers of the Himalaya: A Supplement (Book Review), 315
flowers, of six species in Caryocaraceae, morphology and anatomy of, 123
  of *Wolffia australiana*, 18
forest, mixed southern New Jersey coastal plain, soil seed bank of, 143
forest community, co-occurrence of oak species of different subgenera in, 247
  composition, on Piedmont Plateau of Somerset County, New Jersey, 256
  history, on Piedmont Plateau of Somerset County, New Jersey, 256
  plants, effect of soil acidity on, on Long Island, N.Y., 450
  vegetation, of upland forests of the Cary Arboretum, 106
  vigor, and proportions of standing dead trees, 163
forests, comparison of eastern Mexican and southeastern U.S. Humid Forest zones, 382
frost damage, effect on structure of *Rhus typhina* clones, 221
Fundamentals of Palaeobotany (Book Review), 66

Garcia, Odile L. (Book Review), 313, 314
Geissoloma, leaf anatomy of, and possible relationship to Bruniaceae, 420
GIBSON, DAVID J.: Fire temperature heterogeneity in contrasting fire prone habitats: Kansas tallgrass prairie and Florida sandhill, 349
GLITZENSTEIN, JEFF S.: Effects of environment and land-use history on upland forests of the Cary Arboretum, Hudson Valley, New York, 106
GOOD, RALPH E.: see Matlack, Glenn R., 143
gradients, of water availability and distribution of oak species, 247
Gradual and episodic changes in the structure of *Rhus typhina* clones, 221
grassland, fire temperature heterogeneity in Kansas prairie, 349
GRELLER, ANDREW M.: Changes in vegetation composition and soil acidity between 1922 and 1985 at a site on the North Shore of Long Island, New York, 450
GRELLER, ANDREW M.: Comparison of Humid Forest zones in eastern Mexico and southeastern United States, 382
Greller, Andrew M. (Book Review), 185, 315, 469
Great Smoky Mountains, fraser fir regeneration on, 375
growth, of *Baccharis neglecta* seedlings, in competition with *Cymodon dactylon*, 438
Growth of current shoot populations on White Pine branches: Test of a model, 215
guava (*Psidium guajava*), seasonal succession of microfungi on leaves of, 153
Guide to the Vascular Plants of the Blue Ridge (Book Review), 317

HABECK, SUSAN A.: see Linhart, Yan B., 316
Hamamelidales, as possible home for Bruniaceae and related families, 420
HARTNETT, DAVID C.: see David J. Gibson, 349
Hearts Content, Pennsylvania, forest, multiple pattern analysis of, 39
hemlock, multiple pattern analysis of forest patterning of, 39
Hemlock/White Pine/Northern Hardwood forest, in western New York, 27
Henry Paul Hansen (1907–1989) (Obituary), 176
herbaceous community structure, in a northern hardwood forest, 101
heterogeneity in community structure of tallgrass prairie, 397
HEUSSER, CALVIN J.: Henry Paul Hansen (1907–1989), 176
HIGGINS, TODD R.: see Adair, Jeffrey A., 138
Hubbard Brook Experimental Forest, spatial interrelationships of deciduous forest herbs in, 101
Hudson Valley, New York, effects of environment and land-use history on upland forests of, 106

Indicator Plants of Coastal British Columbia (Book Review), 185
interference by *Rubus canadensis* with fraser fir regeneration, 375
Ipomoea quamoclit, vegetative anatomy and morphology of, 232

KALISZ, P. J.: Phytolith analysis of soils at Buffalo Beats, a small forest opening in southeastern Ohio, 445
Kansas, fire temperature heterogeneity in tallgrass prairie habitats of, 349
Kenya, morphometric relationships and developmental patterns of two *Acacia* spp. in, 8
KILANOWSKI, VICTORIA: see A. M. Greller, 450
KINCAID, DWIGHT T.: see de Soyza, Amrita, G., 167

LAMONT, ERIC E.: see Stalter, Richard, 48
land survey records, in western New York, 27
land-use history, in Dutchess County, Hudson Valley, New York, 106
Leaf anatomy of Geissolomataceae and Myrothamnaceae as a possible indicator of relationship to Bruniaceae, 420
leaf anatomy, of Geissolomataceae and Myrothamnaceae, phylogenetic conclusions from, 420
chlorophyll, variability in content of, in sassafras, 167
leaves, of guava, seasonal succession of microfungi on, 153
Lepidobalanus, co-occurrence of species of, with other oak subgenera, 247
Lichens of California (Book Review), 184
life history, of *Wolffia australiana*, 18
light levels, effect of, on *Baccharis neglecta* seedling growth, 438
Linhart, Yan B. (Book Review), 316
LOCKE, DAVID C.: see A. M. Greller, 450
LOEB, ROBERT E.: Measurement of vegetation changes through time by resampling, 173
Long Island (Kings and Queens cos.), *Acalypha australis* newly found in, 291
New York, changes in soil acidity in a North Shore forest of, 450
LOTOWYCZ, G. ELIZABETH: see A. M. Greller, 450
LOWELL, CADANCE: Vegetative anatomy and morphology of *Ipomoea quamoclit* (Convolvulaceae), 232
LUCANSKY, T. W.: see Lowell, Cadance, 232
LUKEN, JAMES O.: Gradual and episodic changes in the structure of *Rhus typhina* clones, 221

mast fruiting, synchrony of, in oak species from the same and different subgenera, 247
Mathilde (Tillie) P. Weingartner (Obituary), 310
MATLACK, GLENN R.: Spatial heterogeneity in the soil seed bank of a mature Coastal Plain forest, 143
Matten, Lawrence C. (Book Review), 66
MCDONNELL, MARK J.: see Glitzenstein, Jeff S., 106
Measurement of vegetation changes through time by resampling, 173
Mediterranean-Type Ecosystems. A Data Source Book (Book Review), 313
MERRILL, GARY L. S.: see David J. Gibson, 349
Mexico, Humid Forest zones in eastern, 382
MEYER, R.: see Sutton, P., 294
microfungi, succession of, on guava leaves, 153
Microtopography and woody plant regeneration in a hardwood floodplain swamp in Florida, 429
microtopography, effect of on woody plant regeneration, 429
MILLER, NORTON G.: see Tucker, Gordon C., 266
Modern Methods in Orchid Conservation (Book Review), 318
MOHLER, C. L.: Co-occurrence of oak subgenera: Implications for niche differentiation, 247
morphology and anatomy of *Ipomoea quamoclit*, 232
Morphometric relationships and developmental patterns of *Acacia tortilis* and *Acacia reficiens* in Southern Turkana, Kenya, 8
morphometrics, of two *Acacia* spp. in Kenya, 8
mortality, of trees in various Northeast forest types, 163
mosaic diversity in tallgrass prairie, 397
MULLER, ROBERT N.: Spatial interrelationships of deciduous forest herbs, 101
Multiple pattern analysis of an old-growth hemlock-white pine-northern hardwood stand, in Pennsylvania, 39
Myrothamnus, leaf anatomy of, and possible relationship to Bruniaceae, 420

Nectria coccinea var. *faginata*, and its role in the beech bark disease, 409
NELSON, PETER: Mathilde (Tillie) P. Weingartner: An appreciation of a life well lived (Obituary), 310
New Jersey, woodlands in a post-agricultural landscape of Somerset County, 256
New York, *Acalypha australis* newly found in, 291
changes in soil acidity in a North Shore, Long Island forest, 450
niche, differentiation amongst oak subgenera species, 247
northern hardwood forests, and *Fagus grandifolia* canopy recruitment, 1

oak, co-occurrence of species in different subgenera, and niche differentiation implications, 247
Oklahoma, patterns of tallgrass prairie community structure in, 397
old-growth forest, pattern analysis of, in Pennsylvania, 39

On the trail of John Torrey, #16. Introduction "Reminiscences of Old New York": by William Torrey, 57
On the trail of John Torrey, #17. "Reminiscences of Old New York" (or) (Final Recollections and Final Breaths) Part III by William Torrey, 178
On the trail of John Torrey, #18. Part I. Two brothers Torrey and the Pine Barrens of New Jersey or William Torrey and "A visit from St. Nicholas," 301
On the trail of John Torrey, #18. Part II. John Torrey, William Torrey, and the Pine Barrens of NJ, 459

Packer, John G. (Book Review), 65
PANDEY, R. R.: Succession of microfungi on leaves of *Psidium guajava* L., 153
Panicum spp., weed seeds in soil bank of southern New Jersey mixed coastal plain forest, 143
pattern analysis, of an old-growth hemlock-white pine-northern hardwood stand, in Pennsylvania, 39
Patterns of *Abies fraseri* regeneration in a Great Smoky Mountains spruce-fir forest, 375
Patterns of community structure during succession in tallgrass prairie, 397
PAULEY, ERIC F.: Patterns of *Abies fraseri* regeneration in a Great Smoky Mountains spruce-fir forest, 375
phenology, in deciduous forest herbaceous communities, 101
Phytolacca americana, taxonomy of, 357
rigida, taxonomy of, 357
phytoliths, types of, as indicators of vegetational changes, 445
pine, eastern white, and modeling of current shoot population growth, 215
Pine Barrens, spatial heterogeneity of soil seed bank in forest of, 143
PINION, GARY: see Ware, Stewart, 284
Pinus strobus, and modeling of growth of current shoot populations, 215
Plant conservation in the Mediterranean Area (Book Review), 314
plant opal, types of, as indicators of vegetational changes, 445
Plant Pheno-morphological Studies in Mediterranean-Type Ecosystems (Book Review), 314
plant systematics, aided by study of achene microstructure in *Eriophorum* and *Scirpus,* 266
pokeweed, taxonomy of, in southeastern United States, 357
Popp, Robert G.: see Coughenour, Michael B., 8
prairie peninsula, in Ohio, 445
presettlement forest, in western New York, 27
Presettlement forests of the Phelps and Gorham purchase in western New York, 27
Protobalanus, co-occurrence of species of, with other oak subgenera, 247

Quaternary plant macrofossils, placement in genera of Cyperaceae, 266
Quercus, co-occurrence of species in different subgenera of, and niche differentiation, 247

radial growth, of *Fagus grandifolia,* during canopy recruitment, 1
RAMIREZ, CAROLS R.: see de Soyza, Amrita G., 167
Rare Plants of Colorado (Book Note), 68
regeneration, in species of different oak subgenera, 247
in successional forest types, in Costa Rica, 226
of woody plants, in a Florida hardwood floodplain swamp, 429
release, of *Fagus grandifolia,* during canopy recruitment, 1
Reproduction in the cycad *Zamia pumila* in a fire-climax habitat: An eight-year study, 368
reproductive strategy of *Zamia pumila* in a fire-climax Florida habitat, 368
resampling, sampling methods and validity of vegetation change measurements through time, 173
Rhus typhina, gradual and episodic changes in the structure of clones of, 221
rock outcrops, of granite, sandstone and serpentine, and occurrence of *Talinum* species, 284
Rosales, as possible home for Bruniaceae and related families, 420
Rubus canadensis, effect on fraser fir regeneration, 375
RUNKLE, JAMES R.: Eight years change in an old *Tsuga canadensis* woods affected by beech bark disease, 409

sampling methods, validity of, for measuring vegetation changes through time, 173
sandhills, and fire temperature heterogeneity in fire prone Florida habitats, 349
Sassafras, leaf chlorophyll content variability in, 167
Sassafras albidum, leaf chlorophyll variability in a Westchester County, New York, population of, 167
savanna, tropical, in Kenya, 8
scanning electron microscopy, use in studying *Eriophorum* and *Scirpus* achene microstructure, 266
Scirpus sect. *Baeothryon,* placement of species in, on basis of achene microstructure, 266
sect. *Trichophorum,* placement of species in, on basis of achene microstructure, 266
seasonal variation, of microfungi, on guava leaves, 153
seed bank, in a New Jersey mature Coastal Plain forest, 143
predation, and patterns of co-occurrence of oak species in different subgenera, 247
seedlings, establishment and survival of, in fraser fir, 375
survival of, in a Florida hardwood floodplain swamp, 429
SEISCHAB, FRANZ K.: Presettlement forests of the Phelps and Gorham Purchase in western New York, 27
serpentine, and occurrence of *Talinum* species, 284
sex-related differences, in response to fire, in *Zamia pumila,* 368
shoot populations, in white pine, and models of current shoot population frequency distributions in, 215
SICCAMA, THOMAS G.: see Tritton, Louise M., 163
silica bodies, in achenes of *Eriophorum* and *Scirpus,* used as taxonomic characters, 266
soil acidity, changes in, in a forest on Long Island, N.Y., 450
nutrients, effect of, on *Baccharis neglecta* seedling growth, 438
Spatial heterogeneity in the soil seed bank of a mature Coastal Plain forest, 143
interrelationships of deciduous forest herbs, 101
pattern, of seed distribution in soil of a southern New Jersey mixed coastal plain forest, 143
species diversity, in tallgrass prairie, 397
diversity, in tallgrass prairie, 397
spring ephemerals, in a northern hardwood forest, 101

spruce-fir forest in the Great Smoky Mountains, vegetational changes in, 375
STALTER, RICHARD: The vascular flora of Assateague Island, Virginia, 48
STALTER, R.: see Sutton, P., 294
STILES, EDMUND W.: see White, Douglas W., 256
strandline, germination and emergence of searocket, *Cakile edentula*, at, 138
STRENG, DONNA R.: see Glitzenstein, Jeff S., 106
Substrate adaptation in rock outcrop plants: Eastern United States *Talinum* (Portulacaceae), 284
succession, dynamics of, in tallgrass prairie, 397
from grassland to shrubland, 438
in beech-hemlock forest, as affected by beech bark disease, 409
of microfungi, on *Psidium guajava* leaves, 153
Succession of microfungi on leaves of *Psidium guajava* L., 153
successional forest, semi-deciduous, density and growth rates of trees in, in Costa Rica, 226
Suppression and release during canopy recruitment in *Fagus grandifolia*, 1
suppression, of *Fagus grandifolia*, and canopy recruitment, 1
SUTTON, P.: The vascular plants of Cape May Point State Park, Cape May County, New Jersey, 294
systematics of Caryocaraceae, 123

Talinum, occurrence of species of, on different soil types, 287
tallgrass prairie, patterns of community structure in, 397
TANG, WILLIAM: Reproduction in the cycad *Zamia pumila* in a fire-climax habitat: An eight-year study, 368
temperature, heterogeneity of, in Florida and Kansas habitat fires, 349
Terrestrial Vegetation of California, New Expanded Edition (Book Review), 469
The Genus *Pleione* (Book Review), 67
The Geophysiology of Amazonia: Vegetation and Climate Interactions (Book Review), 184
The North American Porcupine (Book Review), 316
The vascular flora of Assateague Island, Virginia, 48
The vascular plants of Cape May Point State Park, Cape May County, New Jersey, 294
The World of Northern Evergreens (Book Review), 315
Theales, floral morphology and anatomy link Caryocaraceae to, 123
Till Plains of the Central Lowlands, in western New York, 27
TITUS, JONATHAN HAROLD: Microtopography and woody plant regeneration in a hardwood floodplain swamp in Florida, 429
To the Arctic, An Introduction to the Far Northern World (Book Review), 65
Torrey Botanical Club, Constitution and By-Laws of, 73
tree branches, modeling current shoot length frequency distributions of, in white pine, 215
tree demography, in beech-hemlock forest, as affected by beech bark disease, 409
TRITTON, LOUISE M.: What proportion of standing trees in forests of the Northeast are dead?, 163
tropical dry forest, in Costa Rica, density and growth rate of trees in, 226
Tropical Ecology (Book Review), 67
Tsuga canadensis, replacement of beech by, as affected by beech bark disease, 409
TUCKER, GORDON C.: Achene microstructure in *Eriophorum* (Cyperaceae): Taxonomic implications and paleobotanical applications, 266

United States, Humid Forest zones in southeastern, 382

VAN AUKEN, O. W.: Influence of light levels, soil nutrients, and competition on seedling growth of *Baccharis neglecta*, 438
variability of leaf chlorophyll content in a population of sassafras, 167
Variation and taxonomy of *Phytolacca americana* and *P. rigida* in the southeastern United States, 357
vascular flora, of Assateague Island, Virginia, 48
vascular plants found at Cape May Point State Park, New Jersey, 294
vegetation, changes in through time and validity of measurement methods, 173
of southern New Jersey mixed coastal plain forest, as influenced by seed bank structure, 143
Vegetation History, Volume 7, Handbook of Vegetation Science (Book Review), 312
Vegetative anatomy and morphology of *Ipomoea quamoclit* (Convolvulaceae), 232
vegetative history, of Buffalo Beats forest opening, as determined from phytolith analysis, 445
vine, stem vasculature, in *Ipomoea quamoclit*, 232

WARE, STEWART: Substrate adaptation in rock outcrop plants: Eastern United States *Talinum* (Portulacaceae), 284
Ware, Stewart (Book Review), 317
What proportion of standing trees in forest of the Northeast are dead?, 163
WHITE, DOUGLAS W.: Woodlands in a post-agricultural landscape in New Jersey, 256
WHITNEY, GORDON G.: Multiple pattern analysis of an old-growth hemlock-white pine-northern hardwood stand, 39
WILSON, BRAYTON F.: Growth of current shoot populations on White Pine branches: Test of a model, 215
Wolffia australiana (Lemnaceae) flower structure, anatomy and life history, 18
Woodlands in a post-agricultural landscape in New Jersey, 256
WORTHEN, WADE: see White, Douglas W., 256
WYATT, ROBERT: see D. B. Caulking, 357

Zamia pumila, effect of fire on reproduction, in Florida, 368
Zanoni, Thomas A. (Book Review), 67, 184